

SCANDINAVIAN MOSS

PRESERVED MOSS WALL



TABLE OF CONTENTS Product Catalog - Decorative Moss







Scandinavian Moss offer	4
Moss types	8
Reindeer Moss	
Reindeer Moss proparties	11
Moss color	12
Frequently Asked Questions	
Table of differences	18
Moss panels for walls	20
Ready moss wall	23
Installing panels - instruction	24
Installation accessories	25
Moss logo	26
Moss pictures	27
Moss flowerpots.	28

DECORATIVE MOSS WHOLESALER SCANDINAVIAN MOSS

OFFICIAL DISTRIBUTOR OF PREPARED MOSS SCANDINAVIAN MOSS IN POLAND SINCE 2010

Leader in Eastern Europe for wholesale and retail sales of custom-made moss panels. The permanent offer includes stabilized moss in different colors and types for reindeer moss, ball moss and flat moss. **Available moss variants for wholesale:** cardboards with moss by weight, modular panels to create green moss walls and retail sale of moss paintings, flowerpots and furniture.

WEIGHT AVAILABILITY AND CONSUMPTION / M² OF REINDEER MOSS



*WHOLESALE CARDBOARDS (QUANTITATIVE DISCOUNT)

DECORATIVE MOSS WHOLESALER SCANDINAVIAN MOSS

We guarantee quick completion of order. The goods shipped come from our own warehouses. They are available immediately. In the case of pallet shipments, we use the express option with delivery within 24 hours.

The offered products are safely packed in solid, branded cardboard boxes with high resistance to mechanical damage. The shipments are additionally secured with protetive foil, which increases their resistance to unfavorable weather conditions.

WEIGHT AVAILABILITY AND CONSUMPTION / M² OF FLAT MOSS AND BALL MOSS



^{*}WHOLESALE CARDBOARDS (QUANTITATIVE DISCOUNT)

INNOVATIVE SOUND ABSORPTION STRUCTURE


Long reverberation time is one of the most common acoustic problems faced by interior designers.


Modern architecture has introduced spacious interiors accompanied by hard and flat surfaces. They can cause long reverberation times and annoying echoes. Scandinavian Moss has developed a proprietary moss panel with a patented 3D absorber formula.



The advantages of the product are the sound-absorbing board and the perfect moss structure, which has been lay out in the appropriate internal density.

The stabilized moss used for 3D panels has been selected from all-year-round collections. When making moss acoustic panels, the late period, the most mature, with a highly dense structure is used.











MOSS TYPES

REINDEER MOSS

Reindeer moss is harvested from the forests of Scandinavia, Finland and Iceland. It is a 100% natural product. It has been permanently impregnated. Due to the ease of application of reindeer moss, it is used as a component in the creation of various products, such as panels or moss pictures.

FLAT MOSS

Forest flat moss, also known as grass moss, obtained naturally through manual harvesting from private forests in France and Sweden. Flat moss is suitable for gluing panels as a moss decor, and also as a grassy moss on a wall, known as a "green moss wall". It goes very well in compositions with ball moss.

BALL MOSS

Ball moss, also known as round or tuft moss, is obtained naturally through manual harvesting from private forests in France. Decorative tuft moss is suitable for gluing panels as a decor of forest moss, and also as a round moss on a wall, it creates a "green moss wall". Ball moss goes very well with grass moss, being a natural composition on the wall. Dark tuft moss perfectly harmonizes with the background of dark grass moss.







REINDEER MOSS



FINNISH (FOR MOSS WALLS)

Scandinavian Moss reindeer moss is harvested from the forests of Finland. It is a 100% natural product. Moss is cleaned and contains small amounts of impurities in the form of needles. Due to the dense, thick heads of even color, it is intended for creating green walls.



NORWEGIAN

(DECOR)

The reindeer moss is harvested from the forests of Norway. It is a 100% natural product. It has a dense structure due to the dyeing process in sheets. It contains natural impurities in the form of needles in the root layer. It has a non-flammability and ISO quality certificate.



ICELANDIC

(FLORISTIC)

Reindeer moss is harvested from Iceland's forests. It is a 100% natural product. It is characterized by a thinner head with a gravy gradient color. t contains natural impurities in the form of needles. It is intended for the floristic industry, flower exchanges and less demanding customers.











REINDEER MOSS PROPERTIES



100% NATURAL

100% real natural Reindeer Moss (Cladonia rangiferina) is soft and pleasant in touch.



ANTISTATIC

Reindeer moss has antistatic properties. The moss does not collect dust.



HYPOALLERGENIC

Reindeer moss does not cause allergies. It does not contain toxic chemicals and is safe for children and pets. It is not edible.



SOUND ABSORBING

Excellent sound absorber. It absorbs vibrations up to 2x more than other 3D panels of the same size and thickness.



MAINTENANCE-FREE

Prepared moss does not require any maintenance. It does not need light, watering or pruning as it is permanently impregnated.



AIR CLEANSE

Air particles are filtered throughout the whole process of absorbing and releasing moisture from the environment.

HUMIDITY INDICATOR



Prepared moss dries up when the air humidity drops below 40%, and becomes soft when the humidity exceeds 40%, i.e. the standard humidity in home spaces.

IN HARMONY WITH NATURE



Scandinavian Moss Reindeer Moss comes from Scandinavian plantations and is harvested in accordance with applicable regulations. Harmless dyes are used to obtain colors.

MOSS COLOR

SCANDINAVIAN MOSS REINDEER MOSS INTENDED FOR GREEN WALLS IS AVAILABLE IN THREE BASIC SHADES OF GREEN COLORS.



Jasna zieleń



Medium green Średnia zieleń



Dark green Ciemna zieleń



REINDEER MOSS IS A PRODUCT 100% NATURAL

Origin and time of moss harvest has an influence on its appearance, structure and color.

There may be needles in the carton.

Scandinavian Moss offers 26 different colors. Colors may differ from supply.



Finnish reindeer moss from Scandinavian Moss is the highest quality product out of all available on the market.

FINNISH REINDEER MOSS FOR WALLS



Spring green Jasna zieleń



Lime Limonkowa zieleń



Medium green Średnia zieleń



Khaki



Zgniła zieleń



Yellow Żółty



Dark green Ciemna zieleń



Olive Oliwkowa zieleń



Orange Pomarańczowy



Natural **Naturalny**



Blue Niebieski



Red Czerwony



Black Czarny



Fuchsia Fuksja

NORWEGIAN REINDEER MOSS - DECORATIVE



Spring green Wiosena zieleń



Lemon Cytrynowy



Medium green Średnia zieleń



Dark yellow Ciemny żółty



Natural **Naturalny**



Dark green Ciemna zieleń



Autumn Jesienny



Brown Brgzowy



Turquoise Turkusowy



Red Czerwony



Anthracite Ciemny szary



Dark blue Ciemny niebieski



Purple **Fioletowy**

ICELANDIC REINDEER MOSS - FLORISTIC



Light grass Trawiasty jasny



Medium grass Trawiasty średni



Dark grass Trawiasty ciemny

FLAT MOSS



Light FR Francuski jasny



Dark FR Francuski ciemny



Light SWE Szwedzki jasny



Medium SWE Szwedzki średni



Dark SWE Szwedzki ciemny

BALL MOSS



Light green Zielony jasny



Medium green Zielony średni



Dark greenZielony ciemny

Color **sampler**














FREQUENTLY ASKED QUESTIONS 1-3



Is stabilized moss a living product?

The moss has been impregnated, thanks to which it retains its natural appearance and structure. In a biological sense, it is not living moss and it does not grow. It does not require watering, pruning or sunlight.

1

How should moss be cared for?



Moss only requires a standard air humidity in the range of 40-60%, which is usually maintained indoors. Moss draws moisture from the air. In case of too low humidity in the rooms, it is recommended to start the air humidifier. It will even out the humidity in the room, improving the health condition of both household members and moss, making it soft and flexible again. However, it is not recommended to place moss in places of direct exposure to water.

2

Does the moss react to too high a temperature?



Moss should be located away from direct heat sources (at least 2 meters from radiators, fireplaces) and should not be exposed to direct sunlight, e.g. near large windows that heat up. During the heating period, when the air in the rooms becomes dry, it is recommended to use an air humidifier or spray the vicinity of the moss with water mist.

3

FREQUENTLY ASKED QUESTIONS 4-6

Is moss safe for allergy sufferers?



There are no contraindications. Moss is impregnated with e.g. glycerin, thanks to which it will not sensitize allergy sufferers. What's more, it is an ideal growth for allergic people, as it filters the air from toxins, dust or unpleasant odors. The aforementioned glycerin also ensures that the moss does not lose its moisture and softness. It is a natural indicator of humidity. Scratching the throat, dry eyes, heavy breathing - these are just some of the examples of that the air in the building is too dry.

4



Does moss attract dust?

No, because impregnated moss is antistatic, so it does not attract dust, insects and microorganisms, and even construction dust.

5



Can moss be installed in the bathroom?

Yes it can. Preserved moss does not need sun, so you can easily use it in rooms without access to windows. In the bathroom, moss can play not only a decorative role - because moss is highly hygroscopic, it will absorb excess moisture from the air, preventing the growth of fungi and mold!

6

TABLE OF DIFFERENCES

	REINDEER MOSS FINNISH	REINDEER MOSS NORWEGIAN	REINDEER MOSS ICELANDIC
APPLICATION	panels and decorations	panels and decorations	decorations
QUALITY	premium	standard	standard
ORIGIN COUNTRY	Finland	Norway	Iceland
DISTRIBUTOR	Scandinavian Moss	Scandinavian Moss	Scandinavian Moss
HEIGHT	approx. 4-8cm	approx. 8-12cm	approx. 5-7cm
STRUCTURE	spread out, dense	compact, tight	compact, rare
HEADS	large, dense head diameter 3-4cm	long, thin head diameter 2-3cm	short, thin head diameter 2-3cm
NEEDLE CONTENT	small quantities, cleared product	large quantities, not cleared product	large quantities, not cleared product
PACKING (WHOLESALE)	loose	arranged in 2 layers	loose
COLORING METHOD	immersion, dyed loose	immersion, dyed in sheets	immersion, dyed in sheets
TINT	flat (even, luscious color on the entire surface)	gradient (uneven colors, browning of the upper part occurs due to moisture)	gradient (uneven colors, different shades of single heads)
COLORS	natural, spring green, medium green, dark green, lime, khaki, olive, blue, fuchsia, yellow orange, red, black	natural, spring green, medium green, dark green, turquoise, dark blue, lemon, dark yellow, autumn, red, purple, brown, anthracite	light grass, medium grass, dark grass
EFFICIENCY	6,0kg/m² (wholesale)	7,5kg/m² (wholesale)	8,5kg/m² (wholesale)
CARTONS	4,0kg; 2,0kg; 500g	5,0kg; 2,5kg; 500g	5,0kg; 2,5kg; 500g

TABLE OF DIFFERENCES

	FLAT MOSS	BALL MOSS	PROVENCAL BALL-FLAT MOSS
APPLICATION	panels and decorations	panels and decorations	decorations
QUALITY	premium	premium	premium
ORIGIN COUNTRY	Northen France, Sweden	Northen France, Sweden	France, Provence
DISTRIBUTOR	Scandinavian Moss	Scandinavian Moss	Scandinavian Moss
HEIGHT	approx. 1-2cm	approx. 2-6cm	approx. 2-4cm
STRUCTURE	thick - patch	thick - single piece	thick - patch/ single piece
NEEDLE CONTENT	small quantities	small quantities	small quantities
PACKING (WHOLESALE)	layered	layered	layered
COLORING METHOD	spray dyeing	spray dyeing	spray dyeing
TINT	even, flat	even, flat	gradient
COLORS	Swedish: light green, medium green, dark green; French: light green, medium green, dark green	light green, medium green, dark green	light green, dark green
EFFICIENCY	~1,2kg/m² (wholesale)	~2,0kg/m² (wholesale)	~2,0kg/m² (wholesale)
CARTONS	1,2kg (1m²); 200g	1,0kg (0,5m²); 200g	1,0kg (0,5m²)

NEED MORE INFORMATION?

visit:

www.scandinavianmoss.com

CUSTOMIZED PREMIUM MOSS PANELS

100% NATURAL

Scandinavian Moss panels are produced in such a way to make self-installation as easy as possible. The panels are made of a light and thin moisture-resistant board. They are available in 50x50cm modules, to be joined into a moss wall or made to measure.

Moss has a heterogeneous structure, therefore, after joining the panels, the joints are not visible, they interlock to form a uniform wall. On special request, we can create a frameless moss panel with a semicircular edge finish, thanks to which the board cannot be seen. Thanks to this procedure, it may look like the panel is an image and has grown straight out of the wall.



- **Execution:** 100% handmade
- ✓ **Application:** walls and ceilings, to be joined together
- **Dimensions:** 50x50cm, to measure
- **Panel thickness:** approx. 3-6cm with a board (deppends on the moss type)
- **✓ Moisture-resistant board thickness:** 4-5mm
- **Moss structure:** soft, composed of tufts
- Finishing the edges with moss: none / semicircular finish
- Colors: all colors from the palette (pages 13, 14)
- **Panel weight (50x50cm):** 1,5-3,0kg (depends on the moss type)
- Panel material: reindeer moss, ball moss, flat moss, a composition of different types or colors
- **Execution time:** off-the shelf or made to measure up to several working days









HOW TO PREPARE MOSS PANEL BY YOURSELF?

Green walls are great complement for the modern design interiors. We can give them almost any shape. How to make a natural wall decoration all by yourself? It's easy!

Required accessories:

- moss
- ✓ floristic glue
- moisture resistant board
- ✓ dowels or mounting glue
- ✓ hot glue gun

download certificates:

www.scandinavianmoss.com



How to make a green wall? Step by step.

- Before starting work, calculate how much moss will be needed to complete the project. The estimated consumption for Finnish reindeer moss is ~6,0kg*/m², for Norwegian reindeer moss ~7,5kg*/m², for ball moss ~2,0kg*/m² and for flat moss ~1,2kg */m².
 - *the weight of the moss may vary depending on the humidity
- Grab a tuft of moss and trim the root layer to the appropriate height for you (the optimal height for a reindeer moss is approx. 6 cm).
- Then, using a glue gun, apply hot floristic glue to the bottom of the moss and attach the moss to the board.
- 4 Put the moss tufts side by side, close to each other without gaps. Do not squeeze the moss too tight to make the structure spread.
- After the board are finished with moss, grab the panel and attach it to the wall with dowels or mounting glue. Ready!

READY MOSS WALL


If you need to cover a larger area, and you lack the time or experience to create an even, aesthetically-looking moss structure, you can count on Scandinavian Moss. We will take care of your order comprehensively with mounting the panel in the designated place. As a result, the surface of Scandinavian Moss panels will be aesthetically finished, giving the interior a luxury and a unique atmosphere of nature.

The modules are made of selected moss, thanks to which individual tufts create a uniform, compact surface. In addition, the moss panels are precisely cut and can be finished in a frameless manner so that the joints and edges of the panels are not visible. Due to all of this panels produced by Scandinavian Moss give the interior an impressive, natural character.



INSTALLING PANELS - INSTRUCTION

- 1 Installation of moss panels can be done by using:
 - dowels and screws.
 - mounting glue,
 - on a mounting strip for wall furniture.
- We always start the installation from the corner panel.
- Use a spirit level to determine the vertical and horizontal position of the first panel. Then the first panel can be attached.
- When installing additional modules, keep ~2mm of dilatation between the tiles.
- If necessary, the panels can be trimmed from the bottom (from the side of the flat surface, not finished with moss).



INSTALLATION ACCESSORIES

WE OFFER BASIC ACCESSORIES FOR SELF-GLUING MOSS PANELS:

Hot glue guns intended for the most efficient sticks 30cm with a diameter of 12mm.


Non-toxic floristic glue with increased adhesion.

Certified, Spanish fireproof and moisture-resistant cork, with unbreakable granulate structure, used for the most demanding products.

Cork board (8mm) with the declaration of B3 conformity. The material used is ecological, of natural origin, and does not emit toxic gases during combustion. The boards are available in sizes: 50x50cm and 100x50cm.







Cordless hot glue gun

Hot glue gun

Floristic glue sticks EVA, Ø ca. 12mm



B2 CLASS



Cork board flex 8mm fireproof and moistureproof

Cork board hard 10mm fireproof and moistureproof

soundproofing board anti-vibration

MOSS LOGO

A moss logo is a modern and effective way of visual identification of a company that will attract the attention of viewers with its eco-design. At Scandinavian Moss, we approach each project comprehensively and professionally - from creating a computer visualization of the logo, through precise reproduction of the original pattern, to professional installation of a ready logo inside your company.











MOSS PICTURES



Reindeer moss picture in in a round oak frame in various color variants Size: Ø 50cm

Moss/ stabilized plants picture in an old wood frame

Size: 25x25cm / 54x54cm / to measure



Moss/ stabilized plants picture in an architectural concrete frame

Size: 56x56cm



Moss/ stabilized plants picture in an old wood frame

oak, white, black or bamboo Size: 23x28cm / 25x25cm / 27x27cm / 50x40cm / 50x50cm / to measure





MOSS FLOWERPOTS

Architectural concrete flowerpot in a geometric shape with moss Size (width x height): 12x5cm / 11,5x9,5cm / 10,5x9cm



Forest in the glass Size (width x height): 9x32cm

Architectural concrete flowerpot with moss

Size (width x height): 14x15cm




Architectural concrete flowerpot with moss and stabilized plants

Size (width x height): 25x50cm






















HEAD-OFFICE SCANDINAVIAN MOSS Sp. z o.o. ul. Nowogrodzka 50, lok. 515 00-695 Warszawa KRS 0000901772

PARTNER